



Certificate of Analysis
Compliance Test

Client Information:

HH Processors
14708 NE 13th Ct
Vancouver, WA 98685

Batch # 2023-0579
Batch Date: 2023-10-20
Extracted From: Hemp

Test Reg State: Florida

Order # HHP250425-040001
Order Date: 2025-04-25
Sample # AAGQ589

Sampling Date: 2025-04-29
Lab Batch Date: 2025-04-29
Completion Date: 2025-05-02

Initial Gross Weight: 41.170 g
Net Weight: 38.070 g

Number of Units: 1
Net Weight per Unit: 3807.000 mg



Product Image

Potency
Tested

Potency 10
Specimen Weight: 1531.100 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Total Active THC None Detected	Total Active CBD 12.677 mg
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids 0.333%	12.677 mg

Pieces For Panel: 10

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.015	3.330	0.333
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			3.330	0.333
Total Active THC			<LOQ	<LOQ

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

